

Art. 12022

Nylvalour

Samtband; festkantig
 Ruban Velour; lisérés tissées
 Velvet Ribbon; woven edge

100% PA (Nylon)



Breiten / Largeurs / Widths

- 5 mm
- 7 mm
- 9 mm
- 12 mm*
- 16 mm
- 22 mm
- 36 mm
- 50 mm
- 72 mm*
- 100 mm*

Aufmachung / Pliage / Put up

Detail	Industrie
10 m	200 m
10 m	150 m
10 m	150 m
10 m	100 m
10 m	100 m
10 m	75 m
10 m	50 m
10 m	50 m
10 m	50 m

* nur / seulement / only col. 725

andere Farben / autres colors / other colours: 12mm = Minimum 4 000m
 72mm = Minimum 300m
 100mm = Minimum 800m



EXCLUSIVE LINE



EXCLUSIVE LINE



EXCLUSIVE LINE



EXCLUSIVE LINE



Durch das Aufkleben der hellen Bänder können geringfügige optische Differenzen entstehen.
 Due to sticking on of the ribbons, light colours may show small optical differences.
 Certains rubans plus clairs peuvent montrer de légères différences optiques dues à la bande adhésive.

Art. 12026 Samt für Paspelband
Velvet for Piping, Velours pour Passepoil

Industrie: 100m / Rl.

20mm

Art. 12038 Samt Paspelband
Velvet Piping, Velours Passepoil

10mm





OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
CXP 11847 TESTEX
Geprüft auf Schadstoffe.
www.oeko-tex.com/standard100

Art. 12030 Golden Velvet

9mm, 16mm, 22mm

Detail:		10m / RI.
Industrie:	9mm	150m / RI.
	16mm	100m / RI.
	22mm	75m / RI.



col. 689
gris-foncé



col. 621
bottle



col. 597
earth



col. 429
cuban brown



col. 424
wine



col. 634
purple



col. 419
navy



col. 725
schwarz

75% PA, 25% Lurex



Art. 12032 Crushed Velvet

100% PA



EXCLUSIVE LINE

	9mm	16mm	22mm
Detail	10m	10m	10m
Industrie	150m	100m	75m



607
écru

687
khaki

636
café

447
copper

429
cuban brown



645
alt rosa

644
scarlet

654
pétrol

689
gris-foncé

725
schwarz

Minimum für andere Breiten } 7mm = 9'000m
 Minimum pour autres largeurs } 36mm = 1'750m
 Minimum for other widths } 50mm = 1'200m





OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
CXP 11847 TESTEX
Geprüft auf Schadstoffe.
www.oeko-tex.com/standard100

Art. 12044 Samtband doppelseitig Velvet double face, Velours double face

5mm, 9mm, 16mm, 22mm, 36mm, 50mm

Detail:		7m / Rl.
Industrie:	5mm	200m / Rl.
	9mm	150m / Rl.
	16mm	75m / Rl.
	22mm	50m / Rl.
	36mm	25m / Rl.
	50mm	25m / Rl.



100% PA






Art. 12061 Ric-Rac Samtband, Velvet Ribbon, Ruban Velours

5mm, 9mm

Detail: 20m / Rl.
Industrie: 5mm 200m / Rl.
9mm 150m / Rl.



Minimum für andere Farben aus Art. 12022 Nylvalour:
Minimum for other colours of patt. 12022 Nylvalour:
Minimum pour autres coloris selon art. 12022 Nylvalour:

5mm = 1'200m, 9mm = 750m
5mm = 1'200m, 9mm = 750m
5mm = 1'200m, 9mm = 750m

100% PA




Art. 12302 Samtband, Goldkante
 Ruban velours, lisière dorée
 Velvet ribbon, gold edge



EXCLUSIVE LINE

100% PA

	<u>9mm</u>	<u>16mm</u>	<u>22mm</u>	<u>36mm</u>
Detail	10m	10m	10m	10m
Industrie	150m	100m	75m	50m



607
écru

564
eggshell

447
copper


429
cuban brown



629
rouge

644
scarlet

424
wine



621
bottle

419
navy

725
schwarz



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
CXP 11847 TESTEX
Geprüft auf Schadstoffe.
www.oeko-tex.com/standard100

Art. 51500 Elast. Samtband Stretch velvet, Velours élastique

6mm, 9mm, 16mm, 22mm, 36mm

Detail:	10m / Rl.
Industrie: 6mm	200m / Rl.
9mm	150m / Rl.
16mm	100m / Rl.
22mm	75m / Rl.
36mm	50m / Rl.



80% PA, 20% Elastomer





OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
CXP 11847 TESTEX
Geprüft auf Schadstoffe.
www.oeko-tex.com/standard100

Art. 51501 Foldover
Elast. Samtband, Stretch velvet,
Velours élastique

16mm, 22mm

Detail: 10m / Rl.
Industrie: 16mm 100m / Rl.
22mm 75m / Rl.



col. 401 weiss



col. 725 schwarz

80% PA, 20% Elastomer






OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
CXP 11847 TESTEX
Geprüft auf Schadstoffe.
www.oeko-tex.com/standard100

Art. 51505 Asymmetric
Elast. Samtband, Stretch velvet,
Velours élastique

Detail: 10m / Rl.
Industrie: 100m / Rl.

16mm



col. 401 weiss



col. 725 schwarz

80% PA, 20% Elastomer






Art. 51510 Elast. Samtband Velours élastique, Stretch velvet

30mm, 40mm, 50mm, 60mm

Detail: 10m / Rl.
Industrie: 25m / Rl.



Col. 725

Minimum für andere Farben: 500m
Minimum for other colours: 500m
Minimum pour autres coloris: 500m

80% PA, 20% Elastomer

